

# DROPPED TOOLS? NOW, THERE'S NO EXCUSE...

## Introducing the Tool@rrest™ Lanyard Collection

### 1M WEBBING LANYARD



Available with Fixed, Screwgate or Swivel karabiners

- Rated for hand tools up to 2.5kg in weight.
- Manufactured in the UK from highly durable polyester webbing.
- Choice of spring-gate, screwgate or swivel stainless steel karabiners.
- Highly robust, minimal bulk – part of your essential work at height kit.

*Perfect for use on: Oil rigs, Elevated Working Platforms, Power tools, Roofing applications, Every day jobs.*



### ELASTICATED LANYARD WITH QUICK CHANGE TAILS



Available with Toggle choke, Fixed, or Swivel karabiners

- Rated for hand tools up to 2.5kg in weight.
- Durable, elasticated tubular webbing construction.
- Military grade quick change buckles and tail selection for multiple tools and applications.
- Choice of toggle choke, spring-gate, screwgate or swivel stainless steel karabiners.
- Prevents snagging when not in use.
- Flexibility of length and attachment tail makes this an essential lanyard item.

*Perfect for use on: Construction, Painting, Cleaning jobs and Utilities applications.*



### WRIST LANYARD WITH INTERCHANGEABLE TAILS



Available with Toggle choke, Fixed, or Swivel karabiners

- Rated for hand tools up to 2.0kg in weight.
- Choice of toggle choke, spring-gate, screwgate or swivel stainless steel karabiners.
- Interchangeable tails means multiple tools can remain tethered with one wrist lanyard.
- Tails to suit different applications and tools.
- No entanglement as with longer belt or harness lanyards. No tool belt or harness required.
- Light weight, compact and maintains full tool usage.

*Perfect for use on: Confined spaces, Overhead work, Facilities management, Platforms and scaffolding.*

# Introducing the Tool@rrest™ Lanyard Collection

## RETR@CT 360: RETRACTABLE, 360° ROTATING LANYARD



- Rated for hand tools up to 2.5kg in weight.
- 1.2m fully extended.
- Securely attachable to fall-arrest harness or tool belt.
- Rotating mechanism follows tool preventing entanglement.
- Auto braking feature minimises lanyard tension for user.
- SP30 260kg breaking strain cord with high impact polyimide casing and anti abrasion coated metal backing plates.
- Choice of karabiner attachment.
- A robust, highly versatile lanyard – minimising loose equipment, maximising tool usability.

Perfect for use on: *Rope access, Platforms, Mining and Utilities work.*



• Secure Connection. • 360° Rotation. • 'One Click' Retract.

## QUICK CHANGE BELT LOOPS



- Rated for tools up to 2.5kg in weight.
- Secure tool lanyard anchor point for tool belts.
- Quick release buckle system for instant addition, repositioning and removal.

## POWER TOOL WR@PS



- Rated for tools up to 2.5kg in weight.
- Secures power tool and prevents battery pack detaching on impact in the event of a dropped tool.
- Designed for both Li-Ion and NiCad battery packs.

## LIFTING BUCKETS



- Rated for tools up to 34kg.
- Optional internal karabiners to secure tools-in-waiting and internal draw string pouch.
- Rugged, tested and large enough for multiple tools / applications.

## BELTS, POUCHES AND TOOL HOLDERS




- Tool@rrest offer a complete range of belts, pouches, holders and bags to secure tools-in-waiting.
- Bespoke products available.
- Tested, durable and essential.

# OUR MISSION TO MAKE **WORK AT HEIGHT** SAFE...

Dropped tools cause serious or fatal injuries to innocent co-workers when working at height. For employers and clients, they also mean equipment damage, costly downtime, litigation, fines and loss of reputation.

'Self-tethering' (normally with rope, key rings or taped lanyards) is in itself is a major cause of incident as such solutions not industrially replicable or certifiable and have no mechanism for traceability or inspection. Until now, there has been no effective, certified and globally consistent method of tethering tools safely.



## HOW BIG IS THE PROBLEM?

- Dropped objects tend to be the 2nd most common cause of workplace death in developed economies.
- The likes of the HSE (Work at Height Regulation 2005) and Safe Work Australia / Regulation 54 now require the risk of dropped tools to be eliminated and not just managed.
- Backed by serious financial / legal consequences on an individual and corporate level... in short, it's time to ACT.

## OUR STORY

Tool@rest is a leading manufacturer of engineered, certificated solutions to prevent dropped tools in the global 'work at height' sector. Our systems centre around the creation of a patented tool tether:

- Independently tested, statistically fail-safe and fully certified.
- Uniquely capable of being retrofitted to nearly all new and existing hand tool stocks.
- For hand and power tools up to 2.5kg in weight.

Once tethered, a tool can now be securely attached to a lanyard which is anchored to an operative's tool belt or safety harness.

## ANY TOOL, TETHER IT WITH TOOL@RREST™



- Certified and statistically fail-safe.
- Individually traceable and easily inspected.
- Fits in minutes, on-site or through a global network of certified agents.
- Part of a complete Tool@rest™ system for safe working at height (lanyards, tethered tool kits, bags, buckets, belts, holsters and power tool Wr@ps).
- Exceeds any and all current industry standards.
- Durable, pliable, non-intrusive.
- Compatible with new and tools already in use.

Industry leading solutions for eliminating dropped tools when working at height... Can you afford not to?

Why not email [info@toolarrest.com](mailto:info@toolarrest.com) now or call +44 (0)1952 292 782 and we'll help you get the right system for your business